

### Trail Uses



Hiking



3 icvcli na



Equestrian

# Hazards and Obstructions



Ruts 4 in.

# **Bollinger Canyon**

LasTrampas

# Trail Length 1.3 mi (2 km)

#### N etwork trail

Bollinger Canyon Trail provides a relatively short, moderate hike up to the top of Las Trampas Ridge. Once at the top, you will see beautiful panoramic views of the East Bay.

Cumulative Gain 674ft (205 m) Elevation Change Loss 2 ft (1 m)



# Typical Grade is 102%

19% of the trail is between 16% and 29% 0 ft (0 m) is between 30% and 29% 8% grade is a standard ramp.



### Typical Cross Slope is 6.7%

11% of the trail is between 12% and 16% 286 ft (87 m) is between 14% and 16%



## Typical Tread Width is 143 in (364 cm)

Tread Width ranges from 85in (216 cm) to 190in (483 cm)



### Trail Surface is Soil

5% of the trail is Firm or better 6319 ft (1926 m) of the trail is Soft or worse

# Trailhe ad Location

Take Crow Canyon Road to Bollinger Canyon Road. Turn onto Bollinger Canyon Road north and follow it into the park.



Warring Trailconditions may have changed since this trail was assessed Temporary obstructions (e.g. fallentrees or land slides) may not have been mapped Maximum grades and cross slopes may vary.

Obstructions besithen 2.0 in (5.0 cm) or outside the tread area 120 in (3m) wide by 120 in (3m) high were not measured. Minimum dear an oe boundaries were at beast 20 in (50 cm) high.

This report has been generated by TirailWarew hich has been created by Beneficial Designs, Inc.

# **Bollinger Canyon**

Length 1.3 mi (2 km)

Networktrail



**Hiking** 



**Bicycling** 



**Equestrian** 



Typical Grade 10.2%

19% of the trail is 16% to 29%

**0 ft (0 m) is 30% to 29%** 8% grade is a standard ramp.



**Typical Cross Slope 6.7%** 

11% of the trail is 12% to 16%

286 ft (87 m) is 14% to 16%



Typical Tread Width 143 in (364 cm)

Minimum 85 in (216 cm)

Maximum 190 in (483 cm)



Soil

5% is Firm or better

6319 ft (1926 m) is Softor worse



Ruts

4 in.



Trail Access Information



Warring: Trail conditions may have changed since thistrail wasassessed. Temporary dostructions(e.g. fallen trees or land slides) may not have been mapped. Maximum grades and crossslopes may vary.

This report is generated by TrailWare which has been created by Beneficial Designs, Inc.

Aug 26, 05

# **Bollinger Canyon**

Las Trampas
Trail Access Information Summary

# Trail Length 1.3 mi (2 km)

Network trail

# Cumulative Bevation Change

Gain 674ft (205 m) Loss 2ft (1 m)

## Typical Grade is 10.2%

19% of the trail is between 16% and 29%
0 ft (0 m) is between 30% and 29%
8% grade is a standard ramp.
Locations and lengths can be found on the Maximum Grade Table Reports

# Typical Cross Slope is 6.7%

11% of the trail is between 12% and 16% 286 ft (87 m) is between 14% and 16% Locations and lengths can be found in the Maximum X-Sope Table Reports

## Typical Tread Width is 143 in (364 cm)

Tread Width ranges from 85 in (216 cm) to 190 in (483 cm)
Locations and lengths can be found on the Mnimum Tread Width Table and Minimum Clearance Width Reports

## Trail Surface is Soil

5% of the trail is Firm or better 6319 ft (1926 m) of the trail is Soft or worse Lengthof trailcanbefound on the Surface Type Table and Surface Category Table Reports.

## Obstructions

Ruts 4 in.

Locations and lengths can be found on the Minimum Vertical and Maximum Tread Obstructions Reports

#### Trail Uses

Hikin g Bicycling

Equestrian

Warring Trailconditions may have changed since this trail will as assessed Temporary obstructions (e.g. fallentness or land sides) may not have been mapped. Maximum grades and cross slopes may ivary. Obstructions besithen 2.0 in (5.0 cm) or outside of the tread area 120 in (3 m) will deby 120 in (3 m) high will be renot measured. Minimum clearance boundaries will ereal least 2.0 in (5.0 cm) high.

page1

Jul 22,05

Jul 22, 05

First Segment As sessed

Last Segment Assessed