



Trail Uses



Hiking



Equestrian



No Bikes



Dogs



Camping

Hazards and Obstructions



Roots
16 in.



Rocks
13 in.

Canyon View Trail

Sunol Regional Wilderness

Trail Length 0.8 mi (1.2 km)

Network trail

This trail intersects with several trails and will eventually take you to Camp Ohlone Road. Trail users will encounter up to 30% grades and bedrock sections. There are majestic views, flourishing plant and wildlife.

Cumulative Gain 4 19ft (128 m)
Elevation Change Loss 27 ft (8m)




Typical Grade is 11.3%

19% of the trail is between 20% and 30%
48 ft (15 m) is between 30% and 30%
8% grade is a standard ramp.



Typical Cross Slope is 4.8%

18% of the trail is between 8% and 19%
440 ft (134 m) is between 12% and 19%



Typical Tread Width is 51 in (129 cm)

Tread Width ranges from 20 in (51 cm) to 117 in (297 cm)



Trail Surface is Soil

93% of the trail is Firm or better
285 ft (87 m) of the trail is Soft or worse

Trailhead Location

Since this trail is part of a network, it can be accessed from intersecting the Indian Joe Trail, McCorkle Trail, Cerro Este Trail and Camp Ohlone



Trail Access Information

Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary.

Obstructions less than 2.0 in (5.0 cm) or outside the tread area 120 in (3 m) wide by 120 in (3 m) high were not measured. Minimum clearance boundaries were at least 20 in (50 cm) high.

This report has been generated by TrailWare which has been created by Beneficial Designs, Inc.

Canyon View Trail

Length 0.8 mi (1.2 km)

Network trail



Hiking



Equestrian



No Bikes



Typical Grade 11.3%

19% of the trail is

20% to 30%

48 ft (15 m) is 30% to 30%
8% grade is a standard ramp.



Typical Cross Slope 4.8%

18% of the trail is

8% to 19%

440 ft (134 m) is 12% to 19%



Typical Tread Width

51 in (129 cm)

Minimum 20 in (51 cm)

Maximum 117 in (297 cm)



Soil

93% is Firm or better

285 ft (87 m) is Soft or worse



Roots 16 in.



Rocks 13 in.



Trail Access
Information



Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary.

This report is generated by TrailWare which has been created by Beneficial Designs Inc.

Aug 26, 05

Canyon View Trail
Sunol Regional Wilderness
Trail Access Information Summary
Trail Length 0.8 mi (1.2 km)
Network trail

First Segment Assessed Jun 24, 05
Last Segment Assessed Jun 28, 05

page 1

Jun 24, 05
Jun 28, 05

Cumulative Elevation Change

Gain 419 ft (128 m)

Loss 27 ft (8 m)

Typical Grade is 11.3%

19% of the trail is between 20% and 30%

48 ft (15 m) is between 30% and 30%

8% grade is a standard ramp.

Locations and lengths can be found on the Maximum Grade Table Reports

Typical Cross Slope is 4.8%

18% of the trail is between 8% and 19%

440 ft (134 m) is between 12% and 19%

Locations and lengths can be found on the Maximum X-Slope Table Reports

Typical Tread Width is 51 in (129 cm)

Tread Width ranges from 20 in (51 cm) to 117 in (297 cm)

Locations and lengths can be found on the Minimum Tread Width Table and Minimum Clearance Width Reports

Trail Surface is Soil

93% of the trail is Firm or better

285 ft (87 m) of the trail is Soft or worse

Length of trail can be found on the Surface Type Table and Surface Category Table Reports.

Obstructions

Roots 16 in.

Rocks 13 in.

Locations and lengths can be found on the Minimum Vertical and Maximum Tread Obstructions Reports

Trail Uses

Hiking

Equestrian

No Bikes

Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary. Obstructions less than 2.0 in (5.0 cm) or outside of the tread area (20 in (3 m) wide by 120 in (3 m) high) were not measured. Minimum clearance boundaries were at least 2.0 in (5.0 cm) high.